

epoxy grout 係 一種 無 縫 之 填 隙 劑， 係 由 環 氧 樹 脂 及 無 機 粉 末 所 組 成。 與 傳 統 之 水 泥 填 隙 劑 相 比， 其 具 有 更 高 之 強 度 及 更 好 之 耐 磨 性。 此外， 其 亦 具 有 優 異 之 耐 污 及 耐 色 澤 變 化 之 能 力。 此 種 填 隙 劑 適 用 於 各 種 瓷 磚 及 陶 磚 之 鋪 設， 尤 是 在 衛 生 間、 廚 房 及 商 業 場 所 中， 其 耐 用 及 易 於 清 潔 之 特 性 更 為 突 出。 其 施 工 簡 便， 且 能 與 各 種 色 澤 之 瓷 磚 相 配 合， 使 鋪 設 後 之 地 面 更 為 美 觀 大 方。 總 之， epoxy grout 係 一 種 高 質 量 之 填 隙 劑， 為 您 之 地 面 鋪 設 提 供 最 佳 之 選 擇。

decolorizing 係 指 色 澤 變 化， 係 指 填 隙 劑 在 長 期 使 用 後， 因 受 污 染 或 光 照 等 因 素 影 響， 致 使 填 隙 劑 之 色 澤 變 化 或 褪 色。 此 種 現 象 在 衛 生 間 及 廚 房 等 場 所 中 尤 為 突 出。 為 了 避 免 此 種 現 象 之 發 生， 選 用 高 質 量 之 epoxy grout 係 一 種 有 效 之 辦 法。 此外， 定 期 清 潔 及 保 養 亦 為 保 持 填 隙 劑 色 澤 之 重 要 步 驟。

cluing 係 指 填 隙 劑 之 粘 合 力， 係 指 填 隙 劑 與 瓷 磚 之 粘 合 強 度。 高 質 量 之 epoxy grout 具 有 優 異 之 粘 合 力， 能 確 保 填 隙 劑 與 瓷 磚 之 緊 密 粘 合， 從 而 提 高 地 面 之 耐 用 性 及 安 全 性。

[http://www.epoxygrout.com](#)




此 種 填 隙 劑 係 由 環 氧 樹 脂 及 無 機 粉 末 所 組 成， 具 有 優 異 之 耐 磨 及 耐 污 性。

- Gray 1#
- Gray 2#
- Gray 3#
- Gray 4#
- Gray 5#
- Gray 6#
- Gray 7#
- Gray 8#
- Gray 9#
- Cement Gray
- Dull Gray
- Silver Gray
- Metal Gray
- Luxury Silver
- Glacier White
- Calaeatta
- Pearl Gold
- Slate Gray
- Terra Brown
- Greyish Green
- Yellow Gray
- Soft Khaki
- Yellowish Brown
- Olive Brown
- Brownness
- Dark Brown
- Reddish Brown
- Rock Bslack



□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□



□□□□□□□□ □□□□□□ □□□□□□□□





01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□□□□□□□□□ □□□□□□□□-□□□□□ □□□□ □□□□□



Two Component Caulking Gun



02 Cutter Knife



03 Pointing trowel



04 Brush



05 Forming Stick



06 Perching Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□□□□ □□□



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXX XXXXXXXX



XXXXXXXX-XXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXXX XXXXXXXX



XXXXXXXXXX

XXXXXXXXXXXXXXXXXX

