

epoxy grout 係 一種 無 收縮 之 填縫 劑， 係 由 環氧 樹脂 及 無機 粉料 所 組成。 與 傳統 之 水泥 填縫 劑 相比， 其 優點 在於 具有 極 高 之 強度 及 耐 腐蝕 性。 此外， 其 亦 具有 良好 之 抗 污 及 易 於 清潔 之 特性。 此 種 填縫 劑 常用 於 浴室、 廚房 及 衛生 間 等 場所 之 瓷磚 填縫。 其 優點 包括：


- 1. 高 強度： 能 承受 極 大 之 壓力 及 衝擊。
- 2. 耐 腐蝕： 能 抵抗 酸、 鹼 及 各種 化學 物質 之 侵蝕。
- 3. 抗 污 及 易 於 清潔： 表面 光滑 且 不 易 吸 污， 可 以 輕鬆 清潔。
- 4. 不 變 色： 能 長期 保持 原 色， 不 會 因 光 照 或 空氣 污染 而 變 色。
- 5. 不 收 縮： 在 乾燥 後 不 會 收 縮， 能 緊 密 貼 合 瓷磚 間 隙。

然而， 此 種 填縫 劑 亦 有 一些 缺點， 例如 價格 較 高 及 施工 較 為 複雜。 此外， 其 亦 需要 在 施工 後 進行 適當 之 養護 及 清潔。 總 之， epoxy grout 係 一種 性能 優 越 之 填縫 劑， 適合 用於 對 填縫 質 量 有 高 要求 之 場所。



epoxy grout 係 一種 無 收縮 之 填縫 劑， 係 由 環氧 樹脂 及 無機 粉料 所 組成。 與 傳統 之 水泥 填縫 劑 相比， 其 優點 在於 具有 極 高 之 強度 及 耐 腐蝕 性。 此外， 其 亦 具有 良好 之 抗 污 及 易 於 清潔 之 特性。 此 種 填縫 劑 常用 於 浴室、 廚房 及 衛生 間 等 場所 之 瓷磚 填縫。 其 優點 包括：

- Gray 1#
- Gray 2#
- Gray 3#
- Gray 4#
- Gray 5#
- Gray 6#
- Gray 7#
- Gray 8#
- Gray 9#
- Cement Gray
- Dull Gray
- Silver Gray
- Metal Gray
- Luxury Silver
- Glacier White
- Calaeatta
- Pearl Gold
- Slate Gray
- Terra Brown
- Greyish Green
- Yellow Gray
- Soft Khaki
- Yellowish Brown
- Olive Brown
- Brownness
- Dark Brown
- Reddish Brown
- Rock Bslack



□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□



□□□□□□□□ □□□□□□ □□□□□□□□



01 Clean the tiles and keep it dry



02 Polish with tile wax except the glazed tile



03 Open & Watch, both sides can extruded meanwhile



04 Screw on the nozzle, put on the grout gun



05 Inclined cut the top of the nozzle in 45°



06 Squeeze out 60-80cm long grout in the forepart



07 Evenly squeeze out the tile agent along the gap



08 Press the grout with professional glue-press tools



09 Don't touch in 4-5 hours and remove excess grout then.



10 Keep the tiles dry in 24 hours

□□□□□□□□ □□□□□□-□□□□ □□□ □□□□□



Two Component Caulking Gun



02 Cutter Knife




03 Pointing trowel



04 Brush



05 Forming Stick



06 Perching Knife



07 Masking Tape



08 Stainless Steel Ball



09 Cleaning Awl

□□□□□ □□□



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX

XXXXXXXXXXXXXX

