

1. **High Quality**: The tiles are made from high-quality raw materials and are fired at high temperatures, ensuring durability and long-lasting performance.

2. **Wide Application**: These tiles are suitable for various applications, including walls, floors, and ceilings, in both residential and commercial settings.

3. **Easy Maintenance**: The tiles are easy to clean and maintain, making them a practical choice for busy households and businesses.

4. **Wide Range of Colors and Patterns**: The tiles are available in a wide range of colors and patterns, allowing for creative and personalized interior design.

5. **Waterproof and Stain-Resistant**: The tiles are waterproof and stain-resistant, making them ideal for use in wet areas like bathrooms and kitchens.

6. **Cost-Effective**: The tiles are a cost-effective solution for interior decoration, offering a wide range of options at competitive prices.

7. **Wide Application**: These tiles are suitable for various applications, including walls, floors, and ceilings, in both residential and commercial settings.

8. **Easy Maintenance**: The tiles are easy to clean and maintain, making them a practical choice for busy households and businesses.

9. **Wide Range of Colors and Patterns**: The tiles are available in a wide range of colors and patterns, allowing for creative and personalized interior design.

10. **Waterproof and Stain-Resistant**: The tiles are waterproof and stain-resistant, making them ideal for use in wet areas like bathrooms and kitchens.

11. **Cost-Effective**: The tiles are a cost-effective solution for interior decoration, offering a wide range of options at competitive prices.



12. **Wide Application**: These tiles are suitable for various applications, including walls, floors, and ceilings, in both residential and commercial settings.

Gray 1#

Gray 2#

Gray 3#

Gray 4#

Gray 5#

Gray 6#

Gray 7#

Gray 8#

Gray 9#

Cement Gray

Dull Gray

Silver Gray

Metal Gray

Luxury Silver

Glacier White

Calaeatta

Pearl Gold

Slate Gray

Terra Brown

Greyish Green

Yellow Gray

Soft Khaki

Yellowish Brown

Olive Brown

Brownness

Dark Brown

Reddish Brown

Rock Bslack



□□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□



□□□□□□□□ □□□□□□ □□□□□□□□



Clean the tiles and keep it dry



Polish with tile wax except the glazed tile



Open & Watch, both sides can extruded meanwhile



Screw on the nozzle, put on the grout gun



Inclined cut the top of the nozzle in 45°



Squeeze out 60-80cm long grout in the forepart



Evenly squeeze out the tile agent along the gap



Press the grout with professional glue-press tools



Don't touch in 4-5 hours and remove excess grout then.



Keep the tiles dry in 24 hours

□□□□□ □□□□□□□□-□□□□□ □□ □□□□□



Two Component Caulking Gun



Cutter Knife

Pointing trowel

Brush

Forming Stick

Perching Knife

Masking Tape

Stainless Steel Ball

Cleaning Awl

□□□□□ □□□



□□□□□□ □□□□□□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□□□□□□□□□

