

1. **High Quality**: The tiles are made from high-quality raw materials and are fired at high temperatures, ensuring durability and resistance to wear and tear.

2. **Wide Application**: The tiles are suitable for use in various areas, including:

- Toilets**: Ideal for bathroom walls and floors.
- Corner**: Perfect for protecting sharp corners in high-traffic areas.
- Edge of bath**: Suitable for the edges of bathtubs and showers.
- Skirting line**: Used for decorative and protective skirting in living areas.
- Floor tile**: Suitable for use in living rooms, hallways, and bedrooms.
- Kitchen**: Ideal for kitchen walls and floors.
- Ceramic tile**: Suitable for use in various areas, including walls and floors.
- Mosaic tile**: Used for decorative wall and floor applications.

3. **Easy Maintenance**: The tiles are easy to clean and maintain, making them a practical choice for busy households.

4. **Wide Range of Colors and Patterns**: The tiles are available in a wide range of colors and patterns, allowing for a wide range of design options.

5. **Long-lasting**: The tiles are designed to last for many years, providing a long-term investment in your home's decor.



1. **choice** is a great choice for your home's decor.



- Pure White
- Ivory
- Lemon Gold
- Pearl Gold
- Light Gold
- Lime Gold
- Amber Gold
- Nobility Gold
- Luxury Gold
- Shiny Gold
- Dazzle Gold
- Moonlight Silver
- Shiny Silver
- Dazzle Silver
- Light Gray
- Noble Gray
- Silver Gray
- Champaign Gold
- Bronze
- Rose Gold
- Coffee Brown
- Black Pearl

□□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□



□□□□□□□□ □□□□□□ □□□□□□□□



Clean the tiles and keep it dry



Polish with tile wax except the glazed tile



Open & Watch, both sides can extruded meanwhile



Screw on the nozzle, put on the grout gun




Inclined cut the top of the nozzle in 45°



Squeeze out 60-80cm long grout in the forefront



Evenly squeeze out the tile agent along the gap



Press the grout with professional glue-press tools



Don't touch in 4-5 hours and remove excess grout then.



Keep the tiles dry in 24 hours

□□□□□ □□□□□□□ □□□□ □□□□ □□□□□



Two Component Caulking Gun



Cutter Knife




Pointing trowel



Brush



Forming Stick



Perching Knife



Masking Tape



Stainless Steel Ball



Cleaning Awl

□□□□ □□ □□□□□



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX

XXXXXXXXXX XXXXXXXX

