

2020 2020 202020 20 20 202020 20 2020 20 2020 202020 20, 20 202020 202020 20 2020 202020 2020 20 2020 202020 20202020 202020, 202020, 202020, 20202020 2020 20 20202020 2020 20202020 20 202020, 20202020 20 2020 20 2020 20 2020 20 2020 2020 202020 2020 202020 2020 2020, 20202020 2020 20 20 2020 2020 2020 20202020 20 2020 2020 20202020 2020 20 2020 2020, 2020 202020, 2020 202020, 2020202020 20 20202020, 2020 20202020 20 20202020 202020 20, 20 2020 20 20202020 2020 20 2020 202020202020 20202020 2020 20 20202020 2020 20202020202020 2020, 202020 20 202020 20 2020 2020202020 20 2020 20202020 202020 202020 202020 2020 2020, 20202020 2020 2020 2020, 2020 2020 2020 2020 20 202020 20 2020 2020202020 202020 Kelin-A 202020202020 2020 20202020 2020 2020202020202020, 2020 20202020 2020 20 20202020 2020 2020



2020 2020 20 2020 202020 20 2020202020 202020 2020 20 20202020 202020



□□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□



□□□□□□□□ □□□□□□ □□□□□□□□



01  
Clean the tiles and keep it dry



02  
Polish with tile wax except the glazed tile



03  
Open & Watch, both sides can extruded meanwhile



04  
Screw on the nozzle, put on the grout gun




05  
Inclined cut the top of the nozzle in 45°



06  
Squeeze out 60-80cm long grout in the forefront




07  
Evenly squeeze out the tile agent along the gap



08  
Press the grout with professional glue-press tools



09  
Don't touch in 4-5 hours and remove excess grout then.



10  
Keep the tiles dry in 24 hours

□□□□□ □□□□□□ □□□□ □□□□ □□□□□



Two Component Caulking Gun



Cutter Knife

Pointing trowel

Brush

Forming Stick

Perching Knife

Masking Tape

Stainless Steel Ball

Cleaning Awl

□□□□ □□ □□□□□



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX



XXXXXXXXXX XXXXXXXX XXXXXXXX




XXXXXXXXXX XXXXXXXX



XXXXXXXX XX XXXXXXX XXXXXXX



XXXXXXXX-XXXXXXXX XXXXXXX



XXXXXXXXXXXX XXXXXXXXXX XXXXXXX



XXXXXXXXXX

XXXXXXXXXXXXXXXXXX

